




PROFILSYSTEM[®]

Give life to your project

Linear



Linear



Description

Linear is a grid metal ceiling with square or rectangular cells. The final effect is highly decorative thanks to the different height section of the male and female profiles. The structure consists of load-bearing and grid profiles with a height section of 50 and 40 mm respectively.

The modularity of the system allows the realization of metal ceilings characterized by a well-defined pattern and thanks to the different height of the profiles, the Linear ceiling remains flush on the upper part and offset on the visible part.

On large surfaces Linear has a highly effect because it doesn't require an intermediate profile guaranteeing grid continuity.

Useful for masking ventilation systems, shielding lighting devices, for elevators, vertical and decorative installations.

Main features

Panel module

-Mod. Linear:
600x600 mm

25 x 25	mm	86 x 86	mm
30 x 30	mm	100 x 100	mm
37.5 x 37.5	mm	120 x 120	mm
50 x 50	mm	150 x 150	mm
60 x 60	mm	200 x 200	mm
75 x 75	mm		

Mesh

-Coil coated Aluminum:
RAL 9003, 9006
(custom RAL on request)



Material and Colour

Acoustic absorption


Black TNT

Linear

Sections




intermediate




main

* Supplied in single parts;
(pre-assembled modules can be
supplied on request)


Section A - A'




Section B - B'




Perimetral's details




P11_L 3000 mm




P11/A_L 3050 mm



P12_L 3000 mm



P2_L 3000 mm



P4 *_L 3000 mm

Each profile can be achieved with customized section in according to customer's requests.

* Supplied on request with polystyrene to maintain in the form the cut panel (supplied not pre-assembled)

General informations

Normes Techniques

All Profilsystem products are CE marked according to EN 13964. They are also accompanied by the Declaration of Performance (D.O.P.) as required by European regulation 305/11 concerning the placing of construction products on the market.

For applications in particularly aggressive environments such as swimming pools, industrial installations with chemical and / or corrosive fumes, check the most suitable material and surface treatment with the technical or commercial office of Profilsystem.

Storage

All products are carefully packed and placed on special pallets and secured by strapping and film wrapping. On request we can provide the package complete of cardboard corners, bubble wrap and polystyrene to reduce the risks during transport.

It is always recommended to handle all packaging with the most care, avoiding shocks and practices that damage the contents. The packed material is stored in closed, clean and dry places until the time of pick-up.

Do not expose filmed products to heat sources and do not leave them under the sun.

Installation

The metal ceiling are installed manually by the installer depending on the type and model you choose.

The material should be stored in closed, clean and dry places until the time of installation.

Do not rest on the ground and not leave the products on site without the original package issued at the time of delivery.

Avoid the contact between material and water, solvents, degreasers and aggressive liquids.

Cleaning and Maintenance

Metal ceilings, thanks to the easy washing and cleaning are also a guarantee in terms of hygiene.

To remove dust, stains or smudges you can use carefully a clean, dry cloth or moistened with neutral detergent, or non-abrasive and non-aggressive disinfectants.



Give life to your project

ITALY

Head quarter & showroom

Via Don Luigi Sturzo,3 - 20822 Seveso (MB) Italy
tel: +39 0362 625652 - fax: +39 0362 306733
www.profilsystem.com

DUBAI

Sales offices & showroom

TOP 27 CONSULTING JLT
Office 3205 - JBC2
Cluster V - JLT
Dubai - United Arab Emirates
middleeast@profilsystem.com

CHILE

Sales offices & showroom

COMERCIAL E.V.A. Limitada
Avenida La Dehesa 1844
Ufficio 714
Lo Barnechea, Santiago de Chile
tel: +59 9 51599037
info@nenzi.cl

SPAIN

Sales offices & showroom

PROFILSYSTEM EPC
Techos de Aluminio
C/ Lluís Companys, 52
08810 Sant Pere de Ribes, Barcelona
tel: +34 666 431 921
info@profilsystem.es

Our offices are at your disposal

SALES OFFICE ITALY:

Elis Zappino
elis@profilsystem.com
Skype ID elis.zappino

EXPORT OFFICE:

Dott. Alexa Maj
export@profilsystem.com
Skype ID Alexa Maj

TECHNICAL OFFICE:

Arch. Manuela De Cristofaro
tecnico@profilsystem.com
Skype ID Manuela De Cristofaro

SHIPPING OFFICE:

Chiara Talon
chiara.talon@profilsystem.com
Skype ID talon.chiara

Dott. Riccardo Ghezzi
riccardo@profilsystem.com
Skype ID ghezzi riccardo